

Work Order ID 128854

Tuesday, January 27, 2015 7:52:21 AM

128854

Page 1

Item ID: D350-636-111 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Glacier Wearplates
 Start Date: 1/14/15 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 1/26/15 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: MLJ Date: 15-01-29 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr								
DSI 9662	B								

MLJ 16-01-27

100	DOCUMENT CONTROL	0.00							
100									
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP D350-636-111 CHG001								

DAS 27 9-89
FEB 02 2016

110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									

DAS 26 9-89
FEB 01 2016

120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.00							
Quality Control									

DAS 27 9-89
FEB 01 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Work Order ID 128854

Tuesday, January 27, 2015 7:52:21 AM

128854

Page 2

Item ID: D350-636-111

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Glacier Wearplates

Start Date: 1/14/15 Start Qty: 1.00

1

Cust Item ID:

Required Date: 1/26/15 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Packaging	0.00							
130					BAS				
Packaging	Memo	0.00			27				
Packaging	Identify and pack for shipping as per PPP D350-636-111				9-89				
	Location: <u>121</u>				FEB 02 2016				
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

MCS FEB 02 2016

MCS FEB 02 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Tuesday, January 27, 2015 7:52:20 AM

128854

D350-636-111

Required Qty: 1.00

Comments: IPP REV:A 14.04.03 NEW ISSUE DD VERF:JLM IPP
REV:B 14.11.13 DSI REVB DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4923-041		Manufactured	No				Each	33.0000		4			
D4923-041 Wearplate Assembly BAS 27 9-89 Location ST602 117796 119712 Loc Qty 33 8 25 Loc Code DAS 26 9-89 DAS 28 9-89													
D4933-041		Manufactured	No				Each	8.0000		2			
D4933-041 Wearplate Assembly BAS 27 9-89 Location st612 116593 117797 Loc Qty 8 2 6 Loc Code DAS 26 9-89 DAS 28 9-89													
D4934-041		Manufactured	No				Each	8.0000		2			
D4934-041 Blade Assembly BAS 27 9-89 Location ST537 126629 Loc Qty 8 8 Loc Code DAS 26 9-89 DAS 28 9-89													

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Tuesday, January 27, 2015 7:52:21 AM

Work Order ID: 128854

128854

Parent Item: D350-636-111

D350-636-111

Parent Item Name: Glacier Wearplates

Start Date: 1/14/15

Required Date: 1/26/15

Start Qty: 1.00

Required Qty: 1.00

AN3C5A Purchased No

Each 981.0000

AN3C5A
Bolt

**

(24)

m132640

DAS
26
9-89

DAS
27
9-89

Location

Loc Qty

Loc Code

FG	5	
122800	5	
ST338a	976	
M130770	460	
M130851	16	
M131320	500	

DAS
28
9-89

NAS1149C0332R

Purchased No

Each 4,938.000

NAS1149C0332R
WASHER

**

(24)

m133284

DAS
26
9-89

DAS
27
9-89

Location

Loc Qty

Loc Code

FP001	2178	
m130325	2178	
GA	26	
125654	26	
ST271	2734	
125654	44	
m130466	690	
m131340	2000	

JAN 26 2016

DAS
28
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D350-636 REV. J
AND INSTRUCTIONS FOR CONTINUING AIRWORTHINESS ICA-D350-636 REV. 3
REF. FAA STC: SR00646SE
REF. CANADIAN STC: SH99-7
REF. EASA STC: 10033942

1.0 PURPOSE

The purpose of this service instruction is to introduce the D350-636-111/-113 Wearplate Kits.

The D350-636-111 Wearplate Kit replaces elements of the D350-636-011/-012/-013/-014 Skidtubes and elements of the D350-636-041/-043/-045 Wearshoe Kit and is designed to improve grip on low friction surfaces such as ice. The components in the D350-636-111 Wearplate Kit are defined in the parts list in Section 2.0.

The D350-636-113 Wearplate Kit replaces elements of the D350-636-015/-016/-017/-018 Skidtubes and elements of the D350-636-047 Wearplate Kit and is designed to improve grip on low friction surfaces such as ice. The components of the D350-636-113 Wearplate Kit are defined in the parts list in Section 2.0

2.0 PARTS LIST

QTY -111	QTY -113	Part Number	Description
X		D350-636-111	WEARPLATE KIT
	X	D350-636-113	WEARPLATE KIT
4		D4923-041	WEARPLATE ASSY
2		D4933-041	WEARPLATE ASSY
2	2	D4934-041	BLADE ASSY
	2	D5146-041	WEARPLATE ASSY
24		AN3C5A	BOLT
	8	AN3C36A	BOLT
	8	MS21043-3	NUT
24	16	NAS1149C0332R	WASHER (AN960C10)

B	ADD D350-636-113 WEARPLATE KIT	DB	14.08.21
A	NEW ISSUE	DB	13.09.11
REV.	DESCRIPTION	BY	DATE
DESIGN	DB	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	DB		
CHECKED	<i>mka</i>	DRAWING NO.	REV. B
MFG. APPR.	N/A	WEARPLATE INSTALLATION	SHEET 1 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.		DSI 9662	NTS
DATE	14.08.21	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

128854 MJS
15-01-25

3.0 WEIGHT AND BALANCE

The following are the net weight increases associated with the D350-636-111 and D350-636-113 Kits.

Installation	Weight	LONGITUDINAL		LATERAL (STD GEAR)		LATERAL (HIGH GEAR)	
		Arm	Moment	Arm	Moment	Arm	Moment
*D350-636-111 WEARPLATE KIT	3.82 lb 1.74 kg	132.1 in 3.4 m	504.6 in-lb 5.9 m-k	0	0	0	0
**D350-636-113 WEARPLATE KIT	1.8 lb 3.96 kg	123.2 in 3.15 m	221.8 in-lb 12.5 m-k	0	0	0	0

* Weight added to relevant skidtube installation when D350-636-111 Wearplate Kit is installed as replacement on D350-636-011/-012/-013/-014 Skidtubes.

**Weight added to relevant skidtube installation when D350-636-113 Wearplate Kit is installed as replacement on D350-636-015/-016/-017/-018 Skidtubes.

4.0 INSTALLATION OF D350-636-111 WEARPLATE KIT

- 4.1 Refer to Figure 1 on sheet 3 of this Service Instruction. Remove and retain the components indicated per ICA-D350-636, Sections 32.3 and 32.4. Ensure the AN8 fasteners are serviceable.
- 4.2 Inspect skidtube per ICA-D350-636.
- 4.3 Refer to Figure 2 on sheet 3 of this service instruction. Install the D4934-041 Blade Assy. Torque the AN8C21A bolts to 480-690 in-lbs (54.2-78.0 N-m).
- 4.4 Refer to Figure 2 on sheet 3. Install the D4923-041 Wearplate Assy and the D4933-041 Wearplate Assy as shown. Torque the AN3C5A bolts to 15-25 in-lbs (1.7-2.8 N-m).
- 4.5 Repeat this procedure for the other Skidtube.
- 4.6 Adjust Weight and Balance per Section 3.0 of this Service Instruction.

DESIGN	DB	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	DB		
CHECKED	<i>MR Lee</i>	DRAWING NO.	REV. B
MFG. APPR.	N/A	WEARPLATE INSTALLATION SHEET 2 OF 4	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	DSI 9662	NTS
DATE	14.08.21	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




FIGURE 1: BLADE/WEARPLATE REMOVAL




FIGURE 2: D350-636-111 WEARPLATE INSTALLATION

NOTE: THE 2 x D4923-041 WEARPLATES CAN BE INSTALLED IN ANY 2 OF THE 3 LOCATIONS INDICATED IN FIGURE 2 ABOVE. A PARTIAL INSTALL OF THE COMPONENTS PROVIDED IN THE D350-636-111 KIT IS ACCEPTABLE AS LONG AS THE INSTALLATION IS THE SAME ON BOTH SKIDTUBES.

DESIGN	DB	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	DB		
CHECKED	<i>McLee</i>	DRAWING NO.	REV. B
MFG. APPR.	N/A	WEARPLATE INSTALLATION SHEET 3 OF 4	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	DSI 9662	NTS
DATE	14.08.21	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

5.0 INSTALLATION OF D350-636-113 WEARPLATE KIT

- 5.1 Refer to Figure 3 below. Remove and retain the components indicated per ICA-D350-636, Sections 32.3 and 32.4. Ensure the AN8 fasteners are serviceable.
- 5.2 Inspect skidtube per ICA-D350-636.
- 5.3 Refer to Figure 4 below. Install the D4934-041 Blade Assy. Torque the AN8C21A bolts to 480-690 in-lbs (54.2-78.0 N-m).
- 5.4 Refer to Figure 4 below. Install the D5146-041 Wearplate Assy as shown. Torque the AN3C36A bolts to 15-25 in-lbs (1.7-2.8 N-m). Torque the AN8C35A bolt to 480-690 in-lbs (54.2-78.0 N-m).
- 5.5 Repeat this procedure for the other skidtube.
- 5.6 Adjust Weight and Balance per Section 3.0.




FIGURE 3: BLADE/WEARPLATE REMOVAL
(RETAIN FASTENERS)




FIGURE 4: D350-636-113 WEARPLATE INSTALLATION

DESIGN	DB	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	DB		
CHECKED	<i>MR</i>	DRAWING NO.	REV. B
MFG. APPR.	N/A	WEARPLATE INSTALLATION SHEET 4 OF 4	
APPROVED	<i>MR</i>	TITLE	SCALE
DE APPR.	<i>MR</i>	DSI 9662	NTS
DATE	14.08.21	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

DART SERVICE INSTRUCTION REFERENCE ONLY

EAS
27
9-89

**TO AMEND INSTALLATION INSTRUCTIONS IIN-D350-636 REV. J
AND INSTRUCTIONS FOR CONTINUING AIRWORTHINESS ICA-D350-636 REV. 3**
REF. FAA STC: SR00646SE
REF. CANADIAN STC: SH99-7
REF. EASA STC: 10033942

1.0 PURPOSE

The purpose of this service instruction is to introduce the D350-636-111/-113 Wearplate Kits.

The D350-636-111 Wearplate Kit replaces elements of the D350-636-011/-012/-013/-014 Skid tubes and elements of the D350-636-041/-043/-045 Wearshoe Kit and is designed to improve grip on low friction surfaces such as ice. The components in the D350-636-111 Wearplate Kit are defined in the parts list in Section 2.0.

The D350-636-113 Wearplate Kit replaces elements of the D350-636-015/-016/-017/-018 Skid tubes and elements of the D350-636-047 Wearplate Kit and is designed to improve grip on low friction surfaces such as ice. The components of the D350-636-113 Wearplate Kit are defined in the parts list in Section 2.0.

2.0 PARTS LIST

QTY	QTY	Part Number	Description
111	113		
X		D350-636-111	WEARPLATE KIT
	X	D350-636-113	WEARPLATE KIT
4		D4923-041	WEARPLATE ASSY
2		D4933-041	WEARPLATE ASSY
2	2	D4934-041	BLADE ASSY
	2	D5146-041	WEARPLATE ASSY
24		AN3C5A	BOLT
	8	AN3C36A	BOLT
	8	MS21043-3	NUT
24	16	NAS1149C0332R	WASHER (AN960C10)

B	ADD D350-636-113 WEARPLATE KIT	DB	14.08.21
A	NEW ISSUE	DB	13.09.11
REV.	DESCRIPTION	BY	DATE
DESIGN	DB	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	DB		
CHECKED	<i>MKA</i>	DRAWING NO.	REV. 8
MFG. APPR.	N/A	WEARPLATE INSTALLATION SHEET 1 OF 4	
APPROVED	<i>[Signature]</i>	TITLE	SCALE:
DE APPR.		DSI 9662	NTS
DATE	14.08.21	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	